



www.ifz-berlin.de

JUMPY  
(K0)



EXPERT  
(K0)



Vivaro  
(K0)




NOT : 3300


## AIDE AUX STATIONNEMENTS AVANT


Réf. : 16 102 791 80

|    |                                                                           |
|----|---------------------------------------------------------------------------|
| FR | NOTICE DE POSE A USAGE PROFESSIONEL / PHOTOS ET DESSINS NON CONTRACTUELS  |
| GB | FITTING INSTRUCTIONS FOR PROFESSIONAL FITTERS / PICTURE AND DRAWINGS      |
| ES | INSTRUCCIONES DE MONTAJE PARA USO PROFESIONAL / FOTOS Y DIBUJOS SIN       |
| P  | MANUAL DE MONTAGEM PARA UTILIZAÇÃO PROFISSIONAL / FOTOGRAFIAS E DESENHOS  |
| DE | MONTAGEANLEITUNG FÜR PROFESSIONNELLEN EINSATZ / NICHT VERTRAGSMÄSSIGE     |
| IT | ISTRUZIONI DI POSA AD USO PROFESSIONALE / FOTO E DISEGNI NON CONTRATTUALI |
| NL | MONTAGEHANDLEIDING VOOR PROFESSIONEEL GEBRUIK / FOTO'S EN TEKENINGEN      |





OPTION: 16 102 790 80





|       | F          | GB       | D        | E             | I         | P             | NL         |
|-------|------------|----------|----------|---------------|-----------|---------------|------------|
| BE    | Bleu       | Blue     | Blau     | Azul          | Blu       | Azul          | Blauw      |
| JN    | Jaune      | Yellow   | Gelb     | Yema de huevo | Giallo    | Amarelo       | Geel       |
| BA    | Blanc      | White    | Weiß     | Blanco        | Bianco    | Branco        | Wit        |
| NR    | Noir       | Black    | Schwarz  | Negro         | Nero      | Preto         | Zwart      |
| GR    | Gris       | Grey     | Grau     | Gris          | Grigio    | Cinzentos     | Grijs      |
| RG    | Rouge      | Red      | Rot      | Rojo          | Rosso     | Vermelho      | Rood       |
| BE/RG | Bleu/Rouge | Blue/Red | Blau/Rot | Azul/Rojo     | Blu/Rosso | Azul/Vermelho | Blauw/Rood |


1




2




p. 14/17



4





5





x 4




6













(L1)



(L1)











8





9





10






11



12




13



14



9980.A9



OFFSET  
0%



VOL.  
80%



SENS.  
55%


V



F



K



F





P

X 4



15




P

X 3



16

(+APC) - conn. PPB GR 16V, pos. 1




6541.N5



conn. MR 60V (EH1), pos. 50



K



x 4


S1 + S2 + S3



V



17





NR



10

10 Nm





18

**RG**


(+APC) - conn. PPB GR 16V, pos. 1




6541.N5



**GR**







conn. MR 60V (EH1), pos. 50




19




9980.A9




20





21




22



23



24




25
















# **Jumpy (K0) VU** avec option anti-brouillard with Foglamps

26



27





29



**OPTION** Indicateur LED 16 102 790 80

30



**OPT**







**AIRBAG**

31

