



www.ifz-berlin.de

JUMPY
(K0)



EXPERT
(K0)



Vivaro
(K0)



NOT : 3392


AIDE AUX STATIONNEMENTS ARRIERE

Réf. : 16 233 446 80


FR	NOTICE DE POSE A USAGE PROFESSIONEL / PHOTOS ET DESSINS NON CONTRACTUELS
GB	FITTING INSTRUCTIONS FOR PROFESSIONAL FITTERS / PICTURE AND DRAWINGS
ES	INSTRUCCIONES DE MONTAJE PARA USO PROFESIONAL / FOTOS Y DIBUJOS SIN
P	MANUAL DE MONTAGEM PARA UTILIZAÇÃO PROFISSIONAL / FOTOGRAFIAS E DESENHOS
DE	MONTAGEANLEITUNG FÜR PROFESSIONNELLEN EINSATZ / NICHT VERTRAGSMÄSSIGE
IT	ISTRUZIONI DI POSA AD USO PROFESSIONALE / FOTO E DISEGNI NON CONTRATTUALI
NL	MONTAGEHANDLEIDING VOOR PROFESSIONEEL GEBRUIK / FOTO'S EN TEKENINGEN




L1





L2



L3






Ø 19 mm





Ø 2,5 mm



9885.40




9865.39





T20
T30




10




10




7504T




9980.A9




3x
16 138 247 80




6541.H3



16 121 933 80




6541.N5





	F	GB	D	E	I	P	NL
BE	Bleu	Blue	Blau	Azul	Blu	Azul	Blauw
JN	Jaune	Yellow	Gelb	Amarillo	Giallo	Amarelo	Geel
BA	Blanc	White	Weiss	Blanco	Bianco	Branco	Wit
NR	Noir	Black	Schwarz	Negro	Nero	Preto	Zwart
GR	Gris	Grey	Grau	Gris	Grigio	Cinzentos	Grijs
RG	Rouge	Red	Rot	Rojo	Rosso	Vermelho	Rood
BE/RG	Bleu/Rouge	Blue/Red	Blau/Rot	Azul/Rojo	Blu/Rosso	Azul/Vermelho	Blauw/Rood



1





2







3






4





5





6






7










8





9




10**11**



12



13



14




6541.H3

L3

15




x4





CLICK!




16









17




18




19








20



21




22




23

RG




(+APC) - conn. PPB GR 16V, pos. 1




6541.N5




9865.39





GR






conn. MR 60V (EH1), pos. 50




24**NR****10**


10 Nm

K**F****L1 + L2 + L3****OFFSET**
0%**VOL.**
80%**SENS.**
55%**K**x4
(S1) + (S2) + (S3)


(+APC) - conn. PPB GR 16V, pos. 1



RG



NR





GR

conn. MR 60V (EH1), pos. 50

**V**


25



26



27



CE



= OK

