



www.ifz-berlin.de

SPACE TOURER
(K0)



TRAVELLER
(K0)



Zafira Life
(K0)





AIDE AUX STATIONNEMENTS ARRIERE


NOT : 3616


Réf.: 16 233 446 80

FR NOTICE DE POSE A USAGE PROFESSIONNEL / LES PHOTOS ET LES DESSINS NE SONT PAS CONTRACTUELS
GB FITTING INSTRUCTIONS FOR PROFESSIONAL FITTERS / THE PHOTOGRAPHS AND THE DRAWINGS ARE NOT CONTRACTUAL
ES INSTRUCCIONES DE MONTAJE PARA USO PROFESIONAL / LAS FOTOGRAFÍAS Y LOS DIBUJOS NO SON CONTRACTUALES
P MANUAL DE MONTAGEM PARA UTILIZAÇÃO PROFISSIONAL / AS FOTOGRAFIAS E OS DESENHOS NÃO SÃO CONTRATUAIS
DE MONTAGEANLEITUNG FÜR PROFESSIONNELLEN EINSATZ / DIE FOTOS UND DIE ZEICHNUNGEN SIND NICHT VERTRAGLICH
IT ISTRUZIONI DI POSA AD USO PROFESSIONALE / LE FOTOGRAFIE ED I DISEGNI NON SONO CONTRATTUALI
NL MONTAGEHANDLEIDING VOOR PROFESSIONEEL GEBRUIK / DE FOTO'S EN DE TEKENINGEN ZIJN NIET CONTRACTUEEL




OPTION: 16 102 790 80






	F	GB	D	E	I	P	NL
BE	Bleu	Blue	Blau	Azul	Blu	Azul	Blauw
JN	Jaune	Yellow	Gelb	Amarillo	Giallo	Amarelo	Geel
BA	Blanc	White	Weis	Blanco	Bianco	Branco	Wit
NR	Noir	Black	Schwarz	Negro	Nero	Preto	Zwart
GR	Gris	Grey	Grau	Gris	Grigio	Cinzentos	Grijs
RG	Rouge	Red	Rot	Rojo	Rosso	Vermelho	Rood
BE/RG	Bleu/Rouge	Blue/Red	Blau/Rot	Azul/Rojo	Blu/Rosso	Azul/Vermelho	Blauw/Rood


1



2



3



4



5










6





7



L1+L2+L3




8






9





10












11




12

Ø 2,5 mm









14







15





17







19




20









21






x4






22












23



P1









25



26

6999X5

x2








6999X5

x4



27



28

RG



(+APC) - Conn. PPB GR 16V, pos. 1







6541.N5




9865.39

**GR**

Conn. MR 60V (EH1), pos. 50





29

**NR**

10 Nm








33



2.5 m.daN




2.5 m.daN





34



35



OPTION Indicateur LED 16 102 790 80**36****OPT****37****38****= OK**